

PELVIC ORGAN PROLAPSE

Dr. Mamik

Nov. 8, 2017

Bibliography of reference sites:

Nygaard I, Barber MD, Burgio KL, Kenton K, Meikle S, Schaffer J, Spino C, Whitehead WE, Wu J, Brody DJ; Pelvic Floor Disorders Network. Prevalence of symptomatic pelvic floor disorders in US women. JAMA. 2008 Sep 17;300(11):1311-6

Ramanah R, Berger MB, Chen L, Riethmuller D, **Delancey JO**. See it in 3D: researchers examined structural links between the cardinal and uterosacral ligaments. Am J Obstet Gynecol. 2012 Nov;207(5):437.e1-7.

Larson KA, Hsu Y, Chen L, Ashton-Miller JA, **DeLancey JO**. MRI-based 3D model of the anterior vaginal wall position at rest and maximal strain in women with and without prolapse. Int Urogynecol J. 2010 Sep;21(9):1103-9.

Barber MD. Symptoms and outcome measures of pelvic organ prolapse. Clin Obstet Gynecol 2005;48:648-61.

Siddiqui NY, Grimes CL, Casiano ER, Abed HT, Jeppson PC, Olivera CK, et al. Mesh sacrocolpopexy compared with native tissue vaginal repair: a systematic review and meta-analysis. Society of Gynecologic Surgeons Systematic Review Group. Obstet Gynecol 2015;125:44–55. (Systematic review)

Hudson CO, Northington GM, Lyles RH, Karp DR. Outcomes of robotic sacrocolpopexy: a systematic review and meta-analysis. Female Pelvic Med Reconstr Surg 2014;20:252–60. (Systematic review)

Nosti PA, Umoh Andy U, Kane S, White DE, Harvie HS, Lowenstein L, et al. Outcomes of abdominal and minimally invasive sacrocolpopexy: a retrospective cohort study. Female Pelvic Med Reconstr Surg 2014;20:33–7

Freeman RM, Pantazis K, Thomson A, Frappell J, Bombieri L, Moran P, et al. A randomised controlled trial of abdominal versus laparoscopic sacrocolpopexy for the treatment of post-hysterectomy vaginal vault prolapse: LAS study. Int Urogynecol J 2013;24:377–84. (Level I)

Paraiso MF, Jelovsek JE, Frick A, Chen CC, Barber MD. Laparoscopic compared with robotic sacrocolpopexy for vaginal prolapse: a randomized controlled trial. Obstet Gynecol 2011;118:1005–13. (Level I)

Anger JT, Mueller ER, Tarnay C, Smith B, Stroupe K, Rosenman A, et al. Robotic compared with laparoscopic sacrocolpopexy: a randomized controlled trial [published erratum appears in Obstet Gynecol 2014;124:165]. Obstet Gynecol 2014;123:5–12. (Level I)

Maher C, Feiner B, Baessler K, Christmann-Schmid C, Haya N, Brown J. Surgery for women with apical vaginal prolapse. Cochrane Database Syst Rev. 2016 Oct 1;10:CD012376. **Review.**

Maher C, Feiner B, Baessler K, Christmann-Schmid C, Haya N, Brown J. Surgery for women with anterior compartment prolapse. Cochrane Database Syst Rev. 2016 Nov 30;11:CD004014. **Review**

Miller N (1927) A new method of correcting complete inversion of the vagina. Surg Gynecol Obstet 44:550–554

Margulies RU, Rogers MA, Morgan DM. Outcomes of transvaginal uterosacral ligament suspension : systematic review and metaanalysis. Am J Obstet Gynecol. 2010 Feb;202(2):124-34. doi: 10.1016/j.ajog.2009.07.052. Review.

Comparison of 2 transvaginal surgical approaches and perioperative behavioral therapy for apical vaginal prolapse : the OPTIMAL randomized trial JAMA. 2014 Mar 12;311(10):1023-34.

LeFort L. Nouveau procede: Pour la guerison du prolapsus uterin. Bull Ther Med Chir. 1877:1–8.

Adams HD. Total colpocleisis for pelvic eventration. Surg Gynecol Obstet. 1951;92:321–324.

Fitzgerald MP, Richter HE, Siddique S, et al. Colpocleisis: a review. Int Urogynecol J Pelvic Floor Dysfunct. 2006;17:261–271.

Maher C, Feiner B, Baessler K, Christmann-Schmid C, Haya N, Majoribanks J. Transvaginal mesh or grafts compared with native tissue repair for vaginal prolapse. Cochrane Database of Systematic Reviews 2016, Issue 2. Art. No.: CD012079. (Systematic review)

Surgical mesh for transvaginal pelvic organ prolapse repair. 21 C.F.R. ~ 884.5980 (2016) (Level III)

Obstetrical and gynecological devices; reclassification of surgical instrumentation for use with urogynecologic surgical mesh. Fed Regist 2017;82:1598–603. (Level III)

Wang X, Chen Y, Fan Z, Hua K. Comparing different tissue-engineered repair repair materials for the treatment of pelvic organ prolapse and urinary incontinence : which material is better? Int Urogynecol J. 2017 Jul 20.

Emmerson SJ, Gargett CE. Endometrial mesenchymal stem cells as a cell based therapy for pelvic organ prolapse. World J **Stem Cells**. 2016 May 26;8(5):202-15.